

**Benkelman Beam Test
Apparatus**



ASPHALT

Benkelman Beam Test Apparatus



PRODUCT MODEL

B1570 Benkelman Beam Device

STANDARDS

Standards AASTHO T256-77 | CNR N141

INFORMATION

Manufacturer	TESTMAK INS.LAB.MAK.SAN.VE TİC. PAZ. İTH. İHR. LTD. STİ
Country of Origin	TURKEY
Product name	Benkelman Beam Device

Benkelman Beam Test Apparatus

DESCRIPTION

The Benkelman Beam Device is utilized to measure the deflection of the road surface when loaded by the wheels of vehicles. The beam is put in contact with the pavement under test between the tires of the vehicle. The measurement of the deflection is performed when the vehicle passes over the test area. The device is made of aluminium alloy.

The Benkelman Beam Device is supplied with

- Length of the Benkelman Beam Device is 2500 mm beam fulcrum ratio 4:1.
- Dial indicator
- Wooden carrying case.

TECHNICAL SPECIFICATIONS

Probe Length	2500 mm
Weight	15 kg



TM TEST MAK
MATERIAL TEST EQUIPMENTS

Telephone : +90 312 395 36 42
Fax : +90 312 395 36 01

Website : www.testmak.com
E-Mail : info@testmak.com

Koca Sinan Industrial Sites 1183 Street No:
40 06370 OSTIM / ANKARA / TURKEY