



**CONCRETE**  
**PRODUCT BROCHURE**

**CORE DRILLING**  
**MACHINE**

---

**C3700**





## CORE DRILLING MACHINE



### PRODUCT MODEL

C3700/01	Core Drilling Machine, Coring Range 16-162 mm
C3700/02	Core Drilling Machine, Coring Range 25-202 mm
C3700/50	Coring Bit for Concrete 50 mm dia. x 400 mm length
C3700/75	Coring Bit for Concrete 75 mm dia. x 400 mm length
C3700/100	Coring Bit for Concrete 100 mm dia. x 400 mm length
C3700/150	Coring Bit for Concrete 150 mm dia. x 400 mm length
C3700/200	Coring Bit for Concrete 200 mm dia. x 400 mm length

### STANDARDS

Standards	General
-----------	---------

### INFORMATION

Manufacturer	TESTMACLAB LABORATUVAR TEST CIHAZLARI PAZ. VE DIŞ TIC. LTD. ŞTİ
Country of Origin	TÜRKİYE
Product name	Core Drilling Machine



Telephone : +90 312 395 44 57  
Fax : +90 312 395 36 42

Website : [www.testmak.com](http://www.testmak.com)  
E-Mail : [info@testmak.com](mailto:info@testmak.com)

Ağaç Metal Sanayi Sitesi 1354 Cadde 1436 Sokak  
No:16 İvogsan Yenimahalle - ANKARA / TÜRKİYE



## CORE DRILLING MACHINE

### DESCRIPTION

The C3700/01 and C3700/02 Core Drilling Machines are powerful diamond drilling units serve for shock free drilling into concrete, natural stone and asphalt with diameter ranges 16-162 mm and 25-202 mm for C3700/01 and C3700/02 respectively. Both models are optimal complements to handheld diamond drilling machines.

- Mechanical oil-bath gearbox with integrated oil pump for durable lubrication of the armature pinion
- Electronics- soft start, temperature control and over current cut off, optical overload indication, constant speed
- Quick- change plate for motor/ rig
- Shaft seals replaceable from the outside
- Cut-off carbon brushes to protect the motor
- Mechanical safety clutch

#### **Core Drilling Machines are supplied complete with;**

- Base Unit
- Motor Swivel Attachment
- Strap Wrench

### TECHNICAL SPECIFICATIONS

Product Code	C3700/01	C3700/02
Power	1600 W	2200 W
Class of Protection	I	I
Drilling Diameter	16-162 mm	25-202 mm
No-Load Speed	650/1380 r.p.m.	420/700/1570 r.p.m
Gearbox	2-speed/oil bath	3-speed/oil bath
Dimensions	500x300x1150 mm	500x300x1150 mm
Weight (Approx)	18 kg	20 kg



## THANK YOU

### FOR CHOOSE US

Dear business partners, thank you very much for believing in us and recommending our products to your customers; We sincerely believe that our company will grow even more thanks to you, our esteemed business partners.

You can reach us than our phones or e mail address 24 hours a day.

## CONTACT US



Ağaç Metal Sanayi Sitesi 1354 Cadde  
1436 Sokak No:16 İvogsan Yenimahalle -  
ANKARA / TÜRKİYE



info@testmak.com  
marketing@testmak.com



TÜRKİYE / HEAD Office : +90 312 395 44 57  
UKRAINE Office : +380 63 741 29 20  
SOUTH AMERICA / Cuba Office : +53 5 073 96 12



www.testmak.com