



# SEMI AUTOMATIC DIGITAL BITUMEN PENETROMETER

**B1530** 





# **SEMI AUTOMATIC DIGITAL BITUMEN PENETROMETER**



## **PRODUCT MODEL**

B1530	Semi-Automatic Digital Bitumen Penetrometer, 220-240 V 50-60 Hz	
B1530/110	Semi-Automatic Digital Bitumen Penetrometer, 110 V 60 Hz	
B1525/01	Penetration Needle, 2,5 g	
B1525/02	Transfer Dish, Dia 100x100(h) mm	
B1525/03	Sample Cup, Ø 55x35 mm, Stainless Steel	
B1525/04	Sample Cup, Ø 70x45 mm, Stainless Steel	
B1525/06	Standard Penetration Cone	

# **STANDARDS**

Standards ASTM D5 | EN 1426 | AASHTO T49

#### **INFORMATION**

Manufacturer	TESTMACLAB LABORATUVAR TEST CİHAZLARI PAZ. VE DIŞ TİC. LTD. ŞTİ
Country of Origin	TÜRKİYE
Product name	Semi-Automatic Digital Bitumen Penetrometer



Telephone: +90 312 395 44 57

Fax : +90 312 395 36 42

Website : www.testmak.com E-Mail : info@testmak.com Ağaç Metal Sanayi Sitesi 1354 Cadde 1436 Sokak No:16 Ivogsan Yenimahalle - ANKARA / TÜRKİYE



# SEMI AUTOMATIC DIGITAL BITUMEN PENETROMETER

#### **DESCRIPTION**

The Semi-Automatic Digital Bitumen Penetrometer is used to determine the penetration of bituminous samples under constant load, time and temperature. The bitumen penetrometer is consists of steel base, leveling screws, digital penetration measurement gauge 0.01 mm precision, release button, automatic zeroing and spirit level. Bitum Penetrometer is supplied with semi automatic timer unit. Penetration timer unit is used to release the plunger fitted with the needle to start the 5 seconds test. Thermometers required for the test should be ordered separately.

#### The Semi-Automatic Digital Penetrometer is supplied with;

- Penetration Needle, 2,5g, 1 piece
- Transfer Dish
- Sample Cup Ø 55x35 mm, 6 pieces, stainless steel

#### **Standard Penetration Cone**

Standard Penetration Cone for measuring penetrations up to 475. Conical body of acetal with a hardened steel tip. Stem diameter 3.17 mm (1/8 inch). Mass = 102.5 g  $\pm 0.05$  g should be ordered separately.



#### **TECHNICAL SPECIFICATIONS**

Dimensions	200x300x480 mm
Weight	15 kg



Telephone: +90 312 395 44 57 Fax: +90 312 395 36 42 Website: www.testmak.com
E-Mail: info@testmak.com

Ağaç Metal Sanayi Sitesi 1354 Cadde 1436 Sokak No:16 Ivogsan Yenimahalle - ANKARA / TÜRKİYE



# **THANK YOU**

### FOR CHOOSE US

Dear business partners, thank you very much for believing in us and recommending our products to your customers; We sincerely believe that our company will grow even more thanks to you, our esteemed business partners.

You can reach us than our phones or e mail address 24 hours a day.

# **CONTACT US**



Ağaç Metal Sanayi Sitesi 1354 Cadde 1436 Sokak No:16 Ivogsan Yenimahalle -ANKARA / TÜRKİYE



info@testmak.com marketing@testmak.com



TÜRKİYE / HEAD Office : +90 312 395 44 57 UKRAINE Office : +380 63 741 29 20 SOUTH AMERICA / Cuba Office : +53 5 073 96 12



www.testmak.com