



**CONCRETE
PRODUCT BROCHURE**

**CONCRETE POKER
VIBRATORS**

C3390





PRODUCT MODEL

C3390/28	Concrete Poker Vibrator Ø 28 mm, 220-240 V 50-60 Hz
C3390/32	Concrete Poker Vibrator Ø 32 mm, 220-240 V 50-60 Hz
C3390/38	Concrete Poker Vibrator Ø 38 mm, 220-240 V 50-60 Hz
C3390/45	Concrete Poker Vibrator Ø 45 mm, 220-240 V 50-60 Hz
C3395/45	Concrete Poker Vibrator Ø 45 mm - Gasoline Model 5.5 Hp

STANDARDS

Standards	EN 12390-2 ASTM C31, C192 AASHTO T23, T126
-----------	--

INFORMATION

Manufacturer	TESTMACLAB LABORATUVAR TEST CIHAZLARI PAZ. VE DIŐ TIC. LTD. ŐTI
Country of Origin	TÜRKİYE
Product name	Concrete Poker Vibrators

DESCRIPTION

The Concrete Poker Vibrators are suitable for use in lab and field conditions. Needle diameter, sample size should not exceed 25%. Chassis with protected system. The Vibrators designed two models including electric and gasoline engines.

TECHNICAL SPECIFICATIONS

P.Code	C3390/28	C3390/32	C3390/38	C3390/45
Poker Head	28 mm	32 mm	38mm	45mm
Number of Revolutions	12.000 vib/min	12.000 vib/min	18.000 vib/min	3.000 vib/min
Hose Length	4 meter	4 meter	4 meter	4 meter
Dimensions	32x18x22 cm	32x18x22 cm	32x18x22 cm	27x18x27 cm
Weight	13 kg	13 kg	14 kg	11 kg
Engine Power	2000 W	2000 W	2300 W	550 W

P.Code	C3390/45
Poker Head	45mm
Number of Revolutions	3.000 vib/min
Hose Length	4 meter
Dimensions	50x45x40 cm
Weight	23 kg
Engine Power	Honda GX160 5.5 HP

THANK YOU

FOR CHOOSE US

Dear business partners, thank you very much for believing in us and recommending our products to your customers; We sincerely believe that our company will grow even more thanks to you, our esteemed business partners.

You can reach us than our phones or e mail address 24 hours a day.

CONTACT US



Ağaç Metal Sanayi Sitesi 1354 Cadde
1436 Sokak No:16 İvogsan Yenimahalle -
ANKARA / TÜRKİYE



info@testmak.com
marketing@testmak.com



TÜRKİYE / HEAD Office : +90 312 395 44 57
UKRAINE Office : +380 63 741 29 20
SOUTH AMERICA / Cuba Office : +53 5 073 96 12



www.testmak.com