



CONSTANT HEAD PERMEABILITY

TEST SET

S4390



M

CONSTANT HEAD PERMEABILITY SET



PRODUCT MODEL

S4390/75	Constant Head Permeability Set for Ø 75 mm cell	
S4390/114	Constant Head Permeability Set for Ø 114 mm cell	
S4390/01	Constant Head Permeability Cell, 75 mm dia.	
S4390/02	Constant Head Permeability Cell, 114 mm dia.	
S4390/03	Wooden Stand with 3 Manometer Tubes	
S4390/04	Constant Level Water Tank, 7 Liter	

STANDARDS

Standards	BS 1377 ASTM 46-47		
-----------	----------------------	--	--

INFORMATION

Manufacturer	TESTMACLAB LABORATUVAR TEST CİHAZLARI PAZ. VE DIŞ TİC. LTD. ŞTİ
Country of Origin	TÜRKİYE
Product name	Constant Head Permeability Set



Telephone: +90 312 395 44 57

Fax : +90 312 395 36 42

Website : www.testmak.com E-Mail : info@testmak.com Ağaç Metal Sanayi Sitesi 1354 Cadde 1436 Sokak No:16 Ivogsan Yenimahalle - ANKARA / TÜRKİYE

M

CONSTANT HEAD PERMEABILITY SET

DESCRIPTION

The Constant Head Permeability Set are used to determine the permeability of granular, gravel and sand soils. The specimen is formed in an acrylic permeability cell, and water is passed through it from a constant level tank. The permeability cell has pressure points at different levels which are connected to the manometer tubes fixed on a stand with graduated scale. Two constant head permeability cells are available: 75 mm and 114 mm diameter. Constant Level Water Tank Should be ordered separately.

The S4390/75 Constant Head Permeability Set is supplied complete with;

- S4390/01 | Constant Head Permeability Cell, 75 mm dia.
- S4390/03 | Wooden Stand 1500 mm with 3 Manometer Tubes 1000 mm long and 3 m Hose.
- S4390/04 | Constant Level Water Tank, 7 Liter

The S4390/114 Constant Head Permeability Set is supplied complete with;

- S4390/02 | Constant Head Permeability Cell, 114 mm dia.
- S4390/03 | Wooden Stand 1500 mm with 3 Manometer Tubes 1000 mm long and 3 m Hose.
- S4390/04 | Constant Level Water Tank, 7 Liter

TECHNICAL SPECIFICATIONS

Product Code	S4390/75	S4390/114
Dimensions	220x70x1500 mm	220x70x1500 mm
Weight (approx.)	9,5 kg	13 kg



Telephone: +90 312 395 44 57 Fax: +90 312 395 36 42 Website: www.testmak.com
E-Mail: info@testmak.com

Ağaç Metal Sanayi Sitesi 1354 Cadde 1436 Sokak No:16 Ivogsan Yenimahalle - ANKARA / TÜRKİYE



THANK YOU

FOR CHOOSE US

Dear business partners, thank you very much for believing in us and recommending our products to your customers; We sincerely believe that our company will grow even more thanks to you, our esteemed business partners.

You can reach us than our phones or e mail address 24 hours a day.

CONTACT US



Ağaç Metal Sanayi Sitesi 1354 Cadde 1436 Sokak No:16 Ivogsan Yenimahalle -ANKARA / TÜRKİYE



info@testmak.com marketing@testmak.com



TÜRKİYE / HEAD Office : +90 312 395 44 57 UKRAINE Office : +380 63 741 29 20 SOUTH AMERICA / Cuba Office : +53 5 073 96 12



www.testmak.com