

**Emulsion Distillation
Unit**



ASPHALT

Emulsion Distillation Unit



PRODUCT MODEL

B1660 Emulsion Distillation Unit

STANDARDS

Standards ASTM D 402 | AASHTO T 78

INFORMATION

Manufacturer	TESTMAK INS.LAB.MAK.SAN.VE TİC. PAZ. İTH. İHR. LTD. STİ
Country of Origin	TURKEY
Product name	Emulsion Distillation Unit

Emulsion Distillation Unit

DESCRIPTION

The Emulsion Distillation Unit used to examine the asphalt emulsions composed principally of a semi-solid or liquid asphaltic base, water and an emulsified agent.

The The Emulsion distillation unit consists of;

- An aluminum alloy still with ring burner,
- A glass connecting tube with water-cooled condenser,
- A graduated cylinder 100 ml,
- Support stands,
- Holders and two thermometers(range: -2 to 300°C.).

TECHNICAL SPECIFICATIONS

Weight (approx)	15 kg
-----------------	-------



TM TEST MAK
MATERIAL TEST EQUIPMENTS

Telephone : +90 312 395 36 42
Fax : +90 312 395 36 01

Website : www.testmak.com
E-Mail : info@testmak.com

Koca Sinan Industrial Sites 1183 Street No:
40 06370 OSTIM / ANKARA / TURKEY