



Kinematic Viscometer

ASPHALT

Kinematic Viscometer



PRODUCT MODEL

B1680	Kinematic Viscometer, 220-240 V, 50/60 Hz
B1680/110	Kinematic Viscometer, 110 V 60 Hz

STANDARDS

Standards	ASTM 2170 AASHTO T201 EN 12595
-----------	------------------------------------

INFORMATION

Manufacturer	TESTMAK INS.LAB.MAK.SAN.VE TİC. PAZ. İTH. İHR. LTD. STİ
Country of Origin	TURKEY
Product name	Kinematic Viscometer

Kinematic Viscometer

DESCRIPTION

The Kinematic Viscosity Tester is designed and made as per the international standards of petroleum products. It is suitable to determine kinematic viscosity of liquid petroleum products (Newtonian liquids) at a constant temperature as per the stipulation in the national standard of determination of kinematic viscosity and calculation of dynamic viscosity.

TECHNICAL SPECIFICATIONS

Dimensions	300x300x500 mm
Weight (approx)	12 kg
Power	2000 W



TM TEST MAK
MATERIAL TEST EQUIPMENTS

Telephone : +90 312 395 36 42
Fax : +90 312 395 36 01

Website : www.testmak.com
E-Mail : info@testmak.com

Koca Sinan Industrial Sites 1183 Street No:
40 06370 OSTIM / ANKARA / TURKEY