

Le Chatelier Water Bath



CEMENT

Le Chatelier Water Bath



PRODUCT MODEL

M2600 Le Chatelier Water Bath, 220-240 V 50-60 Hz

M2600/110 Le Chatelier Water Bath, 110 V 60 Hz

PRODUCT STANDARDS

Standards EN 196-3, 450-1, 459-2 | EN ISO 9597

INFORMATION

Manufacturer	TESTMAK INS.LAB.MAK.SAN.VE TIC. PAZ. ITH. IHR. LTD. STI
Country of Origin	TURKEY
Product name	Le Chatelier Water Bath

Le Chatelier Water Bath

DESCRIPTION

The TESTMAK M2600 Le Chatelier Water Bath is used with Le Chatelier moulds for the determination of the soundness of cement paste fly ash for concrete and lime. Le Chatelier Water Bath in stainless steel, contains up to 12 moulds which are maintained at a height of approx 50 mm above water level. A device located beneath the lid prevents condensation from falling onto specimens. Two heating elements, 800 W and 200 W, guarantee that the water reaches boiling point within approx 30 minute. Supplied complete 12 Le Chatelier's capacity removable rack, Le Chatelier mould ordered separately.

TECHNICAL SPECIFICATIONS

Dimensions	390x180x320 mm
Weight	7 kg
Power	1250 W





TM TEST MAK
MATERIAL TEST EQUIPMENTS

Telephone : +90 312 395 36 42
Fax : +90 312 395 36 01

Website : www.testmak.com
E-Mail : info@testmak.com

Koca Sinan Industrial Sites 1183 Street No:
40 06370 OSTIM / ANKARA / TURKEY