



SLUMP CONE TEST SET



CONCRETE

www.testmak.com

Slump Cone Test Set



PRODUCT MODEL

C3560	Slump Cone Test Set
C3560/01	Slump Cone, 100 ±2 mm / Base Dia: 200 ±2 mm / Height: 300 ±2 mm
C3560/02	Slump Base Plate 500x500x60 mm with Handle
C3560/03	Slump Funnel, Stainless Steel
C3560/04	Tamping Rod Ø 16x600 mm
C3560/05	Tamping Rod Ø 10x300 mm
G205	Rubber Mallet
G315/02	Steel Ruler 300x1 mm
G130/02	Round Scoop, Medium
G180/02	Wire Brush with Handle

STANDARDS

Standards EN 12350 -2 | NFP-18 451 | ASTM C143 | BS 1881: 102

INFORMATION

Manufacturer	TESTMAK INS.LAB.MAK.SAN.VE TIC. PAZ. ITH. IHR. LTD. STI
Country of Origin	TURKEY
Product Name	Slump Cone Test Set

Slump Cone Test Set

DESCRIPTION

The Slump Cone Test Set is used for the determination of the consistency and workability of fresh concrete. It is used, indirectly, as a means of checking that the correct amount of water has been added to the mix. The test is carried out in fresh concrete. The Slump Test Set is galvanized to prevent corrosion.

The Slump Cone Test Set is supplied complete with

- C3560/01 Slump Cone, 100 ±2 mm / Base Dia: 200 ±2 mm / Height: 300 ±2 mm
- C3560/02 Slump Base Plate 500x500x60 mm with Handle
- C3560/03 Slump Funnel, Stainless Steel
- C3560/04 Tamping Rod Ø 16x600 mm
- G205 Rubber Mallet
- G315/02 Steel Ruler 300x1 mm
- G130/02 Round Scoop, Medium
- G180/02 Wire Brush with Handle
- Round Scoop Medium
- Wire Brush with Handle

TECHNICAL SPECIFICATIONS

Dimensions	550x600x300 mm
Weight (approx.)	7 kg





TESTMAK
MATERIAL TEST EQUIPMENTS

Telephone : +90 312 395 36 42
Fax : +90 312 395 36 01

Website : www.testmak.com
E-Mail : info@testmak.com

Koca Sinan Industrial Sites 1183 Street No:
40 06370 OSTIM / ANKARA / TURKEY