

Standard Proctor Moulds and Rammers



SOIL

Standard Proctor Moulds and Rammers



PRODUCT MODEL

STANDARD PROCTOR MOULDS

S4445/A	Standard Proctor Mould ASTM Standards
S4445/E	A Type Standard Proctor Mould EN Standards
S4445/B	Standard Proctor Mould BS Standards

STANDARD PROCTOR RAMMERS

S4450/A	Standard Proctor Rammer ASTM Standards
S4450/E	A Type Standard Rammer Mould EN Standards
S4450/B	2,5 kg Standard Proctor Rammer BS Standards

STANDARDS

Standards	ASTM D 698 , D 1557, D 558 AASHTO T 99, T180, T 134 EN 12386-2, 13286-4 BS 1377:4,1924:2
-----------	--

INFORMATION

Manufacturer	TESTMAK INS.LAB.MAK.SAN.VE TIC. PAZ. ITH. IHR. LTD. STI
Country of Origin	TURKEY
Product Name	Standard Proctor Moulds and Rammers

Standard Proctor Moulds and Rammers

DESCRIPTION

Standard Proctor Moulds are used for determining the moisture content and density of compacted soil. These are made of plated steel for corrosion, includes collar, mould body and base plate. Standard Proctor Rammers are used to compact the soil sample in the Proctor. Different models are available conforming to the international standards.

TECHNICAL SPECIFICATIONS

P.Code	Product Name	Internal Dia.	Body	Volume	Weight
S4445/A	Standard Proctor Mould ASTM Standards	101.6 $\pm$ 0.4 mm	116.4 $\pm$ 0.5 mm	944 $\pm$ 14 cm ³	6.8 kg
S4445/E	A Type Standard Proctor Mould EN Standards	100 $\pm$ 1 mm	120 $\pm$ 1 mm	942 cm ³	5 kg
S4445/B	Standard Proctor Mould BS Standards	105 $\pm$ 0.5 mm	115,5 $\pm$ 0,5 mm	1 cm ³	5.2 kg
P.Code	Product Name	Internal Dia.	Body	Volume	Weight
S4450/A	Standard Proctor Rammer ASTM Standards	50.8 mm	304.8 $\pm$ 1 mm	2495 $\pm$ 23 g	4.5 kg
S4450/E	A Type Standard Rammer Mould EN Standards	50 $\pm$ 0.5 mm	305 $\pm$ 3 mm	2500 $\pm$ 20 g	4.5 kg
S4450/B	2,5 kg Standard Proctor Rammer BS Standards	50 $\pm$ 0.5 mm	300 $\pm$ 3	2500 $\pm$ 25 g	4.5 kg





Telephone : +90 312 395 36 42
Fax : +90 312 395 36 01

Website : www.testmak.com
E-Mail : info@testmak.com

Koca Sinan Industrial Sites 1183 Street No:
40 06370 OSTIM / ANKARA / TURKEY