



Flow Cone Apparatus

CEMENT

Flow Cone Apparatus



PRODUCT MODEL

TMM-2580	Flow Cone Apparatus Test Set
TMM-2581	Flow Cone
TMM-2582	Nozzle Ø 8 mm
TMM-2583	Nozzle Ø 9 mm
TMM-2584	Nozzle Ø 10 mm
TMM-2585	Nozzle Ø 11 mm
TMM-2586	Nozzle Ø 13 mm

STANDARDS

EN 445 | NF P18-358 | NF P18-507

INFORMATION

Manufacturer : TESTMAK INS.LAB.MAK.SAN.VE TİC. PAZ. İTH. İHR. LTD. STİ
Country of Origin : TURKEY
Product Name : Flow Cone Apparatus Test Set
Code of Product : TMM-2580

Flow Cone Apparatus

DESCRIPTION

The TESTMAK Flow Cone Apparatus is used for determining the flow properties of grouts, mortars, muds and other fluid materials. Flow Cone Apparatus consists of a stainless steel cone with upper diameter of 150 mm height of 280 mm, 150 mm dia sieve with 1.5 mm opening for the upper cone, 5 interchangeable (8, 9, 10, 11 and 13 mm diameter) nozzles with fitting bush and a 1 liter capacity cup.

The TMM-2580 Flow Cone Apparatus Test Set is supplied complete with;

- Stand
- Flow Cone,
- Sieve 1,5 mm,
- Nozzle 8, 9, 10, 11 and 13 mm
- Cup 1 lt,
- Fitting Bush

TECHNICAL SPECIFICATIONS

P.Code	TMM-2580
Dimensions	250x250x590 mm
Weight	12 kg





TM TEST MAK
MATERIAL TEST EQUIPMENTS

Telephone : +90 312 395 36 42
Fax : +90 312 395 36 01

Website : www.testmak.com
E-Mail : info@testmak.com

Koca Sinan Industrial Sites 1183 Street No:
40 06370 OSTIM / ANKARA / TURKEY