



**AGGREGATE  
PRODUCT BROCHURE**

## **WIDE WHEEL ABRASION TESTING MACHINE**

**AG1280**



**PRODUCT MODEL**

<b>AG1500</b>	Wide Wheel Abrasion Testing Machine, 220 V 50-60 Hz
<b>AG1500/110</b>	Wide Wheel Abrasion Testing Machine, 110 V 60 Hz

**PRODUCT STANDARDS**

<b>Standards</b>	CANADA CSA-A23.2-25A   For Moulds: ASTM C227, C490, C1260
------------------	---

**INFORMATION**

<b>Manufacturer</b>	TESTMACLAB LABORATUVAR TEST CİHAZLARI PAZ. VE DIŞ TİC. LTD. ŞTİ
<b>Country of Origin</b>	TÜRKİYE
<b>Product name</b>	Wide Wheel Abrasion Testing Machine

**DESCRIPTION**

Wide Disc (Vertical) Abrasive Device is designed to determine the wear resistance of natural stone and concrete products used in interior or exterior floor coverings. 70 mm thickness abrasive disc, 75 rpm / min. Rotates quickly. The device has a digital counter that automatically stops the system when the preset number of turns is reached.

(Narrow Disc Abrasives, grouting materials, unglazed ceramic tiles, etc. designed to determine the wear resistance of products.

When needed for the abrasion test of different types of materials, the wide disk abrading device can be easily converted by the user to the narrow disk abrasive with the set of conversion equipment or to the wide disk abrading device with the narrow disk abrasive device conversion equipment set. The required set of conversion equipment must be ordered separately.)

The wear disc is maintained with flexiglass material. The device with automatic rev counter stops automatically by turning the set number. The appliance is equipped with an abrasive powder hopper.

There is a unit in which the wear powders are used. The device has a slide table for the movement of the samples. The table can be moved by lever when desired. The device has a stainless steel engine housing. The device is supplied with calibration marble, Corundum 25 kg abrasive powder and a wide abrasive disc.

**Optional ceramic and tile cutting tool:**

It is suitable for cutting soft and medium hard wall and floor tiles up to 20 mm.

Chrome steel with crushing handle and guide rods

With steel cutter blades

Maximum working length 1000

**TECHNICAL SPECIFICATIONS**

Dimensions	620x670x1350 mm
Weight	130 kg
Power	220-240 V, 50 Hz, 1 faz 370 W

## THANK YOU

### FOR CHOOSE US

Dear business partners, thank you very much for believing in us and recommending our products to your customers; We sincerely believe that our company will grow even more thanks to you, our esteemed business partners.

You can reach us than our phones or e mail address 24 hours a day.

## CONTACT US



Ağaç Metal Sanayi Sitesi 1354 Cadde  
1436 Sokak No:16 İvogsan Yenimahalle -  
ANKARA / TÜRKİYE



info@testmak.com  
marketing@testmak.com



TÜRKİYE / HEAD Office : +90 312 395 44 57  
UKRAINE Office : +380 63 741 29 20  
SOUTH AMERICA / Cuba Office : +53 5 073 96 12



www.testmak.com