


**Cbr Mould and Accessories
(ASTM) Standards**



SOIL

Cbr Mould and Accessories (ASTM)



PRODUCT MODEL

CBR MOULDS AND ACCESSORIES - ASTM STANDARDS

| | |
|----------|---|
| S4640 | CBR Mould ASTM / AASHTO |
| S4640/01 | Solid Base Plate |
| S4640/03 | Spacer Disc with T handle ASTM |
| S4640/04 | Anular Surcharge Weight 2.27 kg |
| S4640/05 | Sloted Surcharge Weight 2.27 kg |
| S4640/06 | Anular Surcharge Weight 4.54 kg |
| S4640/07 | Anular Surcharge Weight 9.08 kg |
| S4640/08 | Filter screen, 144 mm dia. 150 µm mesh ASTM |
| S4640/09 | Filter Paper for CBR Test No:5 x 150 mm dia. ASTM (Pack of 100) |
| S4645 | Straightedge 300x30x5 mm |

STANDARDS

| | |
|-----------|--------------------------|
| Standards | ASTM D1883 AASHTO T193 |
|-----------|--------------------------|

INFORMATION

| | |
|-------------------|---|
| Manufacturer | TESTMAK INS.LAB.MAK.SAN.VE TİC. PAZ. İTH. İHR. LTD. STİ |
| Country of Origin | TURKEY |
| Product Name | Cbr Mould and Accessories (BS) |


Cbr Mould and Accessories (ASTM)

DESCRIPTION

The Testmak Cbr Mould and Accessories (ASTM) is used for the laboratory evaluation of subgrade and subbase coarse materials in road construction.

TECHNICAL SPECIFICATIONS

| P.Code | Product Name | Dimensions | Weight |
|----------|--|----------------|--------|
| S4640 | CBR Mould ASTM / AASHTO, plated steel mould body with 6" (152.4 mm) dia. x 7" (177.8 mm) height, supplied complete with extension collar and perforated base plate | 200x200x450 mm | 8.5 kg |
| S4640/01 | CBR Solid Base Plate ASTM | 200x200x100 mm | 2.1 kg |
| S4640/03 | Spacer Disc with T handle ASTM, 150.8 mm dia. x 61.4 mm height | 200x200x300 mm | 7.5 kg |
| S4640/04 | Annular Surcharge Weight ASTM, 2.27 kg | 200x200x100 mm | 2.3 kg |
| S4640/05 | Slotted Surcharge Weight ASTM, 2.27 kg | 200x200x100 mm | 2.3 kg |
| S4640/06 | Annular Surcharge Weight ASTM, 4.54 kg | 200x200x200 mm | 4.6 kg |
| S4640/07 | Annular Surcharge Weight ASTM, 9.08 kg | 200x200x400 mm | 9.2 kg |
| S4640/08 | Filter screen, 144 mm dia. 150 µm mesh ASTM | 150x150x20 mm | 1 kg |
| S4640/09 | Filter Paper for CBR Test No:5 x 150 mm dia. ASTM (Pack of 100) | 200x200x20 mm | 0.3 kg |
| S4645 | Straightedge 300x30x5 mm | 300x30x5 mm | 1 kg |





Telephone : +90 312 395 36 42
Fax : +90 312 395 36 01

Website : www.testmak.com
E-Mail : info@testmak.com

Koca Sinan Industrial Sites 1183 Street No:
40 06370 OSTIM / ANKARA / TURKEY