

**Asphalt Binder Recovery
Apparatus**



ASPHALT

Asphalt Binder Recovery Apparatus



PRODUCT MODEL

B1500	Asphalt Binder Recovery Apparatus - 220 -240 V 50/60 Hz
B1500/110	Asphalt Binder Recovery Apparatus - 110 V 60 Hz

STANDARDS

Standards	EN 12697-1
-----------	------------

INFORMATION

Manufacturer	TESTMAK INS.LAB.MAK.SAN.VE TİC. PAZ. İTH. İHR. LTD. STİ
Country of Origin	TURKEY
Product name	Asphalt Binder Recovery Apparatus

Asphalt Binder Recovery Apparatus

DESCRIPTION

The Asphalt binder recovery apparatus is used for the separation of solvent from the binder solution and to determine the binder content in an a bitumen mixture.

The Asphalt Binder Recovery Apparatus is supplied complete with:

- Thermostatic water bath to keep boiling water during all the recovery cycle, complete with cover and digital thermostat.
- Glass flasks having 250 ml capacity, 2 pcs.
- Rubber bungs, tubing and cocks
- Vacuum gauge (to be connected to the vacuum pump)
- Pyrex flask 1000 ml capacity, used as vacuum bottle.

TECHNICAL SPECIFICATIONS

Weight (approx)	2500 mm
Power for Vacuum pump	180 W
Power for Water Bath	1200 W



TM TEST MAK
MATERIAL TEST EQUIPMENTS

Telephone : +90 312 395 36 42
Fax : +90 312 395 36 01

Website : www.testmak.com
E-Mail : info@testmak.com

Koca Sinan Industrial Sites 1183 Street No:
40 06370 OSTIM / ANKARA / TURKEY