



**SPEEDY MOISTURE  
TEST DEVICE**



**AGGREGATE**

[www.testmak.com](http://www.testmak.com)

## Speedy Moisture Test Device



### PRODUCT MODEL

AG1400 Speedy Moisture Test Device

### PRODUCT STANDARDS

Standards ASTM D4944; AASHTO T217; A 7804; BS 6576

### INFORMATION

Manufacturer	TESTMAK INS.LAB.MAK.SAN.VE TİC. PAZ. İTH. İHR. LTD. STİ
Country of Origin	TURKEY
Product name	Speedy Moisture Test Device

## Speedy Moisture Test Device

### DESCRIPTION

The Speedy moisture device is field conditions dust, pulp mixture and the soil, sand, clay, aggregate and other granular materials quickly and accurately detect moisture content. Moisture within the sample, as a result of reaction with calcium carbide acetlyene gas occurs. The resulting pressure caused by gas, dial indicator is determined as the percent moisture content. Within a few minutes into the issue determines the moisture content of the sample. Precision Scale, measuring spoons and cups, calibration kit, 1 box of calcium carbide reagent, cleaning brush, wooden enclosure with a complete set as.

Set is complete with;

- Calibrated Pressure Gauge
- Calibrated electronic scale with a capacity of 26 gr

### TECHNICAL SPECIFICATIONS

Humidity Range	0 - 20%
Dimensions	510x380x200 mm
Weight (approx.)	9 kg



**TM TEST MAK**  
**MATERIAL TEST EQUIPMENTS**

Telephone : +90 312 395 36 42  
Fax : +90 312 395 36 01

Website : [www.testmak.com](http://www.testmak.com)  
E-Mail : [info@testmak.com](mailto:info@testmak.com)

Koca Sinan Industrial Sites 1183 Street No:  
40 06370 OSTIM / ANKARA / TURKEY