

**Swell Test Equipments for
CBR Swelling Test**



SOIL

Swell Test Equipments for CBR Swelling Test



PRODUCT MODEL

CBR MOULDS AND ACCESSORIES - BS STANDARDS

S4670	Adjustable Stem and Perforated Plate for CBR Swelling Test
S4672	Tripod for CBR Swelling Test
G290/01	Analog Gauge 10 mm travel x 0.01 mm division
G290/02	Analog Gauge 25 mm travel x 0.01 mm division
G290/03	Analog Gauge 30 mm travel x 0.01 mm division
S4673	CBR Soaking Tank, 600 x 400 x 400 mm

STANDARDS

Standards	EN 13286-47 ASTM D1183 AASHTO T193 BS 1377:4, 1924:2
-----------	--

INFORMATION

Manufacturer	TESTMAK INS.LAB.MAK.SAN.VE TİC. PAZ. İTH. İHR. LTD. STİ
Country of Origin	TURKEY
Product Name	Swell Test Equipments for CBR Swelling Test

Swell Test Equipments for CBR Swelling Test

DESCRIPTION

The Testmak Cbr Mould and Accessories (NF) is used for the laboratory evaluation of subgrade and subbase coarse materials in road construction.

TECHNICAL SPECIFICATIONS

P.Code	Product Name	Dimensions	Weight
S4670	Adjustable Stem and Perforated Plate for CBR Swelling Test	180x180x160 mm	2.5 kg
S4672 ¹	Tripod for CBR Swelling Test	200x200x300 mm	1 kg
G290/01	Analog Gauge 10 mm travel x 0.01 mm division	150x100x80 mm	0.5 kg
G290/02	Analog Gauge 25 mm travel x 0.01 mm division	150x100x80 mm	0.5 kg
G290/03	Analog Gauge 30 mm travel x 0.01 mm division	150x100x80 mm	0.5 kg
S4673	CBR Soaking Tank, 600 x 400 x 400 mm	500x700x400 mm	3 kg





TM TEST MAK
MATERIAL TEST EQUIPMENTS

Telephone : +90 312 395 36 42
Fax : +90 312 395 36 01

Website : www.testmak.com
E-Mail : info@testmak.com

Koca Sinan Industrial Sites 1183 Street No:
40 06370 OSTIM / ANKARA / TURKEY