



## Concrete Poker Vibrators



**CONCRETE**

[www.testmak.com](http://www.testmak.com)

## Concrete Poker Vibrators



### PRODUCT MODEL

C3390/22 Concrete Poker Vibrator Ø 25 mm, 220-240 V 50-60 Hz

### STANDARDS

EN 12390-2 | ASTM C31, C192 | AASHTO T23, T126

### INFORMATION

Manufacturer : TESTMAK INS.LAB.MAK.SAN.VE TİC. PAZ. İTH. İHR. LTD. STİ

Country of Origin : TURKEY

Product Name : Concrete Poker Vibrator

## Concrete Poker Vibrators

### DESCRIPTION

The Concrete Poker Vibrators are suitable for use in lab and field conditions. Needle diameter, sample size should not exceed 25%. Chassis with protected system. The Vibrators designed two models including electric and gasoline engines.

### TECHNICAL SPECIFICATION

P.Code	C3390/22
Type&Shaft	Ø25x350 mm tip-2 m shaft
Frequency	12.000 vib/min
Dimensions	160x850x360 mm
Weight	15 kg
Power for Electric Model	220-240 V 50-60 Hz 450W



**TM TEST MAK**  
**MATERIAL TEST EQUIPMENTS**

Telephone : +90 312 395 36 42  
Fax : +90 312 395 36 01

Website : [www.testmak.com](http://www.testmak.com)  
E-Mail : [info@testmak.com](mailto:info@testmak.com)

Koca Sinan Industrial Sites 1183 Street No:  
40 06370 OSTIM / ANKARA / TURKEY