



**Kinematic Viscometer**

**ASPHALT**

## Kinematic Viscometer



### PRODUCT MODEL

B1680	Kinematic Viscometer, 220-240 V, 50/60 Hz
B1680/110	Kinematic Viscometer, 110 V 60 Hz

### STANDARDS

Standards	ASTM 2170   AASHTO T201   EN 12595
-----------	------------------------------------

### INFORMATION

Manufacturer	TESTMAK INS.LAB.MAK.SAN.VE TIC. PAZ. ITH. IHR. LTD. STI
Country of Origin	TURKEY
Product name	Kinematic Viscometer

## Kinematic Viscometer

### DESCRIPTION

The Kinematic Viscosity Tester is designed and made as per the international standards of petroleum products. It is suitable to determine kinematic viscosity of liquid petroleum products (Newtonian liquids) at a constant temperature as per the stipulation in the national standard of determination of kinematic viscosity and calculation of dynamic viscosity.

### TECHNICAL SPECIFICATIONS

Dimensions	300x300x500 mm
Weight (approx)	12 kg
Power	2000 W



**TM TEST MAK**  
**MATERIAL TEST EQUIPMENTS**

Telephone : +90 312 395 36 42  
Fax : +90 312 395 36 01

Website : [www.testmak.com](http://www.testmak.com)  
E-Mail : [info@testmak.com](mailto:info@testmak.com)

Koca Sinan Industrial Sites 1183 Street No:  
40 06370 OSTIM / ANKARA / TURKEY