

**Automatic Jolting Table**



**CEMENT**

## Automatic Jolting Table



### PRODUCT MODEL

M2400	Automatic Jolting Table, 220-240 V 50/60 Hz
M2400/110	Automatic Jolting Table, 110 V 60 Hz

### PRODUCT STANDARDS

Standards	EN 196-1   EN ISO 679   NF P15-412   BS 3892
-----------	--

### INFORMATION

Manufacturer	TESTMAK INS.LAB.MAK.SAN.VE TIC. PAZ. ITH. IHR. LTD. STI
Country of Origin	TURKEY
Product name	Automatic Jolting Table

## Automatic Jolting Table

### DESCRIPTION

The Automatic Jolting Table is used to compact cement mortar prisms 40x40x160 mm in the three gang mould, as requested by the above specifications. The apparatus, consists of a table holding the mould, seated on a rotating cam driven at 60 revolutions per minute. The jolting group is connected to the table by bayonet joints for quick checking of the weights. The drop height 15,0 mm is adjustable to keep it correct also after intensive uses. The apparatus is supplied with control panel including main switch, automatic digital drop counter, start/stop push buton.

### TECHNICAL SPECIFICATIONS

Dimensions	1000x380x420 mm
Weight	60 kg
Power	500W





**TM TEST MAK**  
**MATERIAL TEST EQUIPMENTS**

Telephone : +90 312 395 36 42  
Fax : +90 312 395 36 01

Website : [www.testmak.com](http://www.testmak.com)  
E-Mail : [info@testmak.com](mailto:info@testmak.com)

Koca Sinan Industrial Sites 1183 Street No:  
40 06370 OSTIM / ANKARA / TURKEY