



**Saybolt Two-Tube Digital
Viscometer**

ASPHALT

Saybolt Two-Tube Digital Viscometer



PRODUCT MODEL

B1840	Saybolt Two-Tube Digital Viscometer, 220-240 V 50-60 Hz
B1840/110	Saybolt Two-Tube Digital Viscometer, 110 V 60 Hz
B1840/01	Filter Funnel with Wire Mesh and Clip
B1840/02	Withdrawal Tube
B1840/03	Saybolt Viscosity Flask, glass, 60 ml
B1840/04	Heat Transfer Oil, 5 lt.
B1840/05	Saybolt Viscosity Thermometer Set, 6 pcs

STANDARDS

Standards	ASTM D88 AASHTO T72
-----------	-----------------------

INFORMATION

Manufacturer	TESTMAK INS.LAB.MAK.SAN.VE TİC. PAZ. İTH. İHR. LTD. STİ
Country of Origin	TURKEY
Product name	Saybolt Two-Tube Digital Viscometer

Saybolt Two-Tube Digital Viscometer

DESCRIPTION

The Saybolt Two-Tube Digital Viscometer is used to determine empirical measurement of Saybolt Viscosity of petroleum products at specified temperatures. The viscometer can be used for temperatures between 21 to 99 °C (70 to 210 °F) The viscometer includes water-oil bath, stirrer, cooling coil, electric heater with digital thermo regulator, furol orifice, universal orifice, ASTM thermometers and 2 pcs 60 ml glass saybolt viscosity flask.

Viscosity Thermometer should be ordered separately.

The B1840/05 Viscosity Thermometer set consists of 6 thermometers with the temperature ranges;

- Saybolt Thermometer ASTM 18C / +19 to 27°C / 0.1°C subdivisions
- Saybolt Thermometer ASTM 18C / +34 +42°C / 0.1°C subdivisions
- Saybolt Thermometer ASTM 19C / +49 + 57°C / 0.1°C subdivisions
- Saybolt Thermometer ASTM 20C / +57 + 65°C / 0.1°C subdivisions
- Saybolt Thermometer ASTM 21C / +79 +87°C / 0.1°C subdivisions
- Saybolt Thermometer ASTM 22C / + 95 + 103°C / 0.1°C subdivisions

The Saybolt Two-Tube Digital Viscometer is supplied complete with;

- Universal Orifice
- Furol Orifice
- Heat Transfer Oil, 5 lt
- Key
- Saybolt viscosity flask, glass, 60 ml, 2 pcs.

TECHNICAL SPECIFICATIONS

Product Code	B1840
Dimensions	270x270x550 mm
Weight (approx)	12 kg
Power	750 W



TM TEST MAK
MATERIAL TEST EQUIPMENTS

Telephone : +90 312 395 36 42
Fax : +90 312 395 36 01

Website : www.testmak.com
E-Mail : info@testmak.com

Koca Sinan Industrial Sites 1183 Street No:
40 06370 OSTIM / ANKARA / TURKEY